

# Change Mechanism

With a very high coin capacity and five active tubes the CASHFLOW® series 7000 virtually eliminates exact change situations on even the most demanding sites. However, by constantly monitoring the coin flow it can also work to reduce the cash tied up in tubes where the vend price or throughput allows a more efficient level in each tube, even advising on a more suitable tube configuration when appropriate.

**Acceptance and Security** - The MEI CASHFLOW® series 7000 incorporates market leading discrimination technology to ensure the highest level of valid coin acceptance.

**Coin management** - Whether you choose to leave the MEI CASHFLOW® series 7000 in stand alone mode or customize its configuration it will constantly work on your behalf to offer your customers change whilst minimising the cash tied up in your machine.

**Reliability and Serviceability** - The MEI CASHFLOW® series 7000 builds on MEI's reputation for reliability and with a fully accessible coin path and clear diagnostics via a large display any problems that might arise can be easily corrected in the field with the minimum of training.

## Features and benefits

- Simplicity - virtually no training necessary
- Easy to use, large intuitive display
- Eliminates exact change
- Instant Floating - dispenses surplus coins and identifies replenishment needed
- High change capacity
- Five configurable payout denominations
- Water and jam resistant
- Highest level reliability
- Constantly monitoring cash in tubes offering full, real time audit
- Intuitive diagnostics
- Fully accessible coin path, route people can clear debris without tools
- Total price flexibility
- 20 pre-programmed cassettes



# Change Mechanism : Spec

## Interfaces

Model No	Machine Interfaces Supported	MDB Peripheral Interface Available
<b>CASHFLOW® 7900</b>	MDB and Exec or BDV	Yes
<b>CASHFLOW® 7400 (no display)</b>	MDB or Exec	No

## Power Requirements

24VDC (BDV)  
24VAC (Executive)  
34VDC (MDB)

## Accessories

Audit hardwire, Irda or printer options  
MDB Peripheral

## Coin sets

Pound, Euro  
For more details refer to our website [www.meigroup.com](http://www.meigroup.com)

## Support Tools

On product support through key pad and display  
Compatible with CASHFLOW® Programming module

## Dimensions

H: 371mm W: 138mm D: 80mm

### LCD Panel

Display and intuitive smart menu



### IRDA

Easy-to-use infra-red port



### Sonar technology

Accurately monitors coins filled manually and the exact value of coins in the tubes



# Coin Acceptor

The Microcoin SP is a stylish, space saving coin acceptor, delivering a tailored solution for short profile, front entry applications, where space and cost savings demand minimisation.

In true Microcoin tradition, the SP is unique in its approach to design, technology and operation but does not compromise on function and performance.

Therefore, the SP validator employs complex digital technology to provide, arguably, the most unique and powerful coin validation system available, whilst offering all the "standard" features.

At the same time, it has a radically stylish and appealing design, which houses several patented features such as its unique "Parallel Path" Debris Release system.

At 155mm and 115mm in height respectively, the SP can be fitted to two traditionally dimensioned faceplates, which boast unique reject actions and secure fastening techniques. The Microcoin SP is a global product, with the ability to work with international currencies and any application which requires its unique features, such as kiddie rides, redemption machines, bar top units.

## Features

- 115 mm face plate
- Ultra compact
- Stylish and appealing design
- Unique 'Parallel path' debris release
- Conforms to industry standards



115 mm

63 mm

95 mm

